



Certificate of Analysis

Sample: DE40826021-004
Seed to Sale# 1A4000B00010D25000005296
Sample Size Received: 50 gram
Servings: 1
Ordered: 08/26/24
Sampled: 08/26/24
Completed: 08/29/24



Aug 29, 2024 | Strava Craft Coffee, Inc.
License # 405R-00011
2452 S. Trenton Way
Denver, CO, 80231, US



PASSED


Pages 1 of 2

SAFETY RESULTS

Icon	Category	Result
	Pesticides	NOT TESTED
	Heavy Metals	NOT TESTED
	Microbials	NOT TESTED
	Mycotoxins	NOT TESTED
	Residuals Solvents	NOT TESTED
	Filtration	NOT TESTED
	Water Activity	NOT TESTED
	Moisture	NOT TESTED
	Homogeneity Testing	NOT TESTED
	Terpenes	NOT TESTED

MISC.

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3428, 1642, 8, 2950, 3313 Weight: 2.0287g Extraction date: 08/27/24 16:15:05 Reviewed by: 3428, 1642
 Analysis Method : SOP.T.40.039.CO Analytical Batch : DE008397POT Instrument Used : Shimadzu LC-2030C 3D Plus Ted Analyzed Date : 08/27/24 10:30:07 Batch Date : 08/27/24 09:34:50
 Dilution : 20 Reagent : 080824.R12; 082424.R08; 060324.R03
 Consumables : 947.100; 429516; 04303051; 0000186393; 319121051; 031024CH01; 61544-104C6-104C; 61572-107C6-107H
 Pipette : POT- 20E73244; POT- 20E74976; POT- 20K63477; P1000 - 20B29164-A; P200- 6507768

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

Stephen Goldman

Lab Director

State License # 405R-00011
405-00008

ISO 17025 Accreditation # 4331.01



Signature
08/29/24



879 Federal Blvd
Denver, CO, 80204, US
(303) 427-2379

Kaycha Labs

Willie's Remedy
Matrix : Infused
Type: Other



Certificate of Analysis

PASSED

Strava Craft Coffee, Inc.

2452 S. Trenton Way
Denver, CO, 80231, US
Telephone: (917) 328-5479
Email: scott@stravacraftcoffee.com
License #: 405R-00011

Sample : DE40826021-004

Sampled : 08/26/24
Ordered : 08/26/24

Sample Size Received : 50 gram
Completed : 08/29/24 Expires: 08/29/25
Sample Method : SOP Client Method

Page 2 of 2

COMMENTS

* Cannabinoid DE40826021-004POT

1 - Measurement Uncertainty for delta-9 THC (wt%, Infused) 95% interval : 0.07, Measurement Uncertainty for THCA (wt%, Infused) 95% interval : 0.05

* SRF Comments

- Willie's Remedy - Medium Whole Bean
- Willie's Remedy - Medium Ground
- Willie's Remedy - Dark Whole Bean
- Willie's Remedy - Dark Ground
- Willie's Remedy - Decaf Whole Bean
- Willie's Remedy - Decaf Ground

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

Stephen Goldman
Lab Director

State License # 405R-00011
405-00008
ISO 17025 Accreditation # 4331.01

Signature
08/29/24